

2410A Shed Rain™ Walksafe® 42" Vented Auto-Open/Close Compact Umbrella

Full Color

Panel Opposite Strap (Optl, add'l charge): 5.5"w bottom x 5"w top x 4"h

Opposing Panel (Optl, add'l charge): 5.5"w bottom x 5"w top x 4"h

Adjacent Panel (Optl, add'l charge): 5.5"w bottom x 5"w top x 4"h

Exterior Shape:

Interior Shape:

Min. Font Size: Sans 8pt./Serif 10pt./Script 12pt. Sans 5pt./Serif 6pt./Script 8pt.

Min. Line Weight: 1 pos / .75 neg

.5 pos / .75 neg


Halftones: Available

Available


SHED·RAIN™





PANEL OPPOSITE STRAP



OPPOSING PANEL



ADJACENT PANEL




ART TEMPLATE

2410A Shed Rain™ Walksafe® 42" Vented Auto-Open/Close Compact Umbrella

Heat Transfer; Sleeve(Optl, add'l charge): 5"w x 1.5"h, (max. 1 color)
Full Color; Sleeve(Optional, add'l charge): 5"w x 1.5"h

	Exterior Shape:	Interior Shape:
Min. Font Size:	Sans 8pt./Serif 10pt./Script 12pt.	Sans 5pt./Serif 6pt./Script 8pt.
Min. Line Weight:	1 pos / .75 neg	.5 pos / .75 neg
Halftones:	Available	Available





sanzospecialties.com

ART TEMPLATE

2410A Shed Rain™ Walksafe® 42" Vented Auto-Open/Close Compact Umbrella

Heat Transfer; Strap(Optl, add'l charge): 4.5"w x .5"h, (max. 1 color)
Full Color; Strap(Optional, add'l charge): 4.5"w x .5"h

Exterior Shape:

Min. Font Size: Sans 8pt./Serif 10pt./Script 12pt.
Min. Line Weight: 1 pos / .75 neg
Halftones: Available

Interior Shape:

Sans 5pt./Serif 6pt./Script 8pt.
.5 pos / .75 neg
Available

SHED•RAIN™

