

Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com




Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com





sanzospecialties.com



ROACHES



TERMITES



RODENTS



OTHER PESTS




sanzospecialties.com

Green line denotes Inside Margin

Pink line denotes Outside Bleed Margin

Gray line denotes Die Cut

Note: Required margins/bleeds are 1/8" each. Art received without the 1/8" margin/bleed space will be adjusted for die cutting production and may not qualify for the production ready art discount. Please see instructions for more information.



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com



Sanzo
SPECIALTIES

sanzospecialties.com






sanzospecialties.com

Green line denotes Inside Margin
Pink line denotes Outside Bleed Margin
Gray line denotes Die Cut

Note: Required margins/bleeds are 1/8" each. Art received without the 1/8" margin/bleed space will be adjusted for die cutting production and may not qualify for the production ready art discount. Please see instructions for more information.




Instructions For Template Set Up:

1. Art MUST fit within the margin and bleed parameters shown on template. See example below.
 - **Green line*** is inside margin. Leave 1/8 inch inside margin from the edges of the magnet on all sides for live art (all pertinent information must fit within the 1/8" inside margin).
 - **Pink line*** is bleed requirement. If you want the art to bleed (have imprint run off the edges of the magnet), give art an 1/8 inch outside margin on all sides.
 - **Gray line*** is where the magnet will be die cut for final production.

**Note: If your artwork is not set up correctly for a 1/8" margin/bleed, adjustments will be made if possible and artwork will not be eligible for the production ready art discount.*
2. All rasterized images must be embedded, CMYK preferred, minimum 300 dpi. *Note: Supplier uses the following Adobe® software color settings: RGB conversion-Colormatch RGB, CMYK-U.S. Sheetfed Coated, and we refer to the Pantone® Color Bridge Coated Solid to Process swatch book. Keep in mind, laminate may enhance Magenta and Cyan by approximately 5-7%.*
3. Convert ALL fonts to outlines (curves). *Art received with live fonts may not be eligible for the production ready art discount.*
4. Prepare artwork as an Adobe PDF (Press Quality) or EPS file (Postscript 3 if applicable). If you submit art as a TIFF or JPEG, please remember to remove the die, margin and guide lines before flattening the image. 300 dpi minimum for rasterized artwork.
5. Upload your Production Ready Art to your Distributor Central Supplier Order.

Example:



Example shown here is for visual representation of the inside margin, die cut line, and outside bleed margin. Please use the appropriate template file for the desired item you are ordering. Thanks.

Sanzo
SPECIALTIES

sanzospecialties.com