




Item Size: 3.54" x 2.36"
Imprint Type: Full Color Decal
Imprint Area:
Bleed: 1.225 in (w) x 0.775 in (h)
Cutline: 1.1 in (w) x 0.65 in (h)
Safety Zone: 0.95 in (w) x 0.525 in (h)

Artwork Recommendations:
Place all text, logos etc within the safety zone
anything outside of the safety zone is at risk
of being cut off!
All text needs to be above 6pt font size.
CMYK TIF/PNG/JPG 150 DPI (with 0.25" bleed)
or Vector EPS (type outlined)



Available Colors

NOTE THAT UNLESS A "PMS" COLORS IS PROVIDED, WE CANNOT GUARANTEE THAT ARTWORK WILL MATCH WHAT IS SHOWN ON SCREEN SINCE MONITORS PRESENT COLORS AS "RGB" AND EACH MONITOR IS CALIBRATED DIFFERENTLY.

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.

Item Size: 3.42"(w) x 2.18"(h)

Imprint Area: Vertical

Direct Print/Digitek Imprint

Imprint: 1.625in(w)x 2.30 in (h)

Decal Imprint

Bleed: 1.9 in (w) x 2.7 in (h)

Cutline: 1.77 in (w) x 2.6 in (h)

Safety Zone: 1.65 in (w) x 2.47 in (h)


Artwork Recommendations:

Place all text, logos etc within the safety zone
anything outside of the safety zone is at risk
of being cut off!


All text needs to be above 6pt font size.

CMYK TIF/PNG/JPG 150 DPI (with 0.25” bleed)
for Full Color ONLY


Vector EPS (type outlined) required for Direct Print



Decal



Direct / Digitek



Back / Ingredients



Available Colors



NOTE THAT UNLESS A "PMS" COLORS IS PROVIDED,
WE CANNOT GUARANTEE THAT ARTWORK WILL
MATCH WHAT IS SHOWN ON SCREEN SINCE
MONITORS PRESENT COLORS AS "RGB" AND EACH
MONITOR IS CALIBRATED DIFFERENTLY.

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.

Item Size: 3.42"(w) x 2.18"(h)

Imprint Area: Horizontal
Direct Print/Digitek Imprint

Imprint: 2.30in(w)x1.625 in (h)

Decal Imprint

Bleed: 2.7 in (w) x 1.9 in (h)

Cutline: 2.6 in (w) x 1.77 in (h)

Safety Zone: 2.47 in (w) x 1.65 in (h)


Artwork Recommendations:

Place all text, logos etc within the safety zone
anything outside of the safety zone is at risk
of being cut off!


All text needs to be above 6pt font size.

CMYK TIF/PNG/JPG 150 DPI (with 0.25” bleed)
for Full Color ONLY


Vector EPS (type outlined) required for Direct Print



Decal



Direct / Digitek



Back / Ingredients



Available Colors



NOTE THAT UNLESS A "PMS" COLORS IS PROVIDED,
WE CANNOT GUARANTEE THAT ARTWORK WILL
MATCH WHAT IS SHOWN ON SCREEN SINCE
MONITORS PRESENT COLORS AS "RGB" AND EACH
MONITOR IS CALIBRATED DIFFERENTLY.


- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.

Item Size: 3.54" x 2.36"
Imprint Type: Full Color Decal

Imprint Area:

Bleed: 1.875 in (w) x 2.14 in (h)
Cutline: 1.625 in (w) x 1.89 in (h)
Safety Zone: 1.375 in (w) x 1.65 in (h)

Artwork Recommendations:
Place all text, logos etc within the safety zone
anything outside of the safety zone is at risk
of being cut off!
All text needs to be above 6pt font size.
CMYK TIF/PNG/JPG 150 DPI (with 0.25" bleed)
or Vector EPS (type outlined)



NOTE THAT UNLESS A "PMS" COLORS IS PROVIDED, WE CANNOT GUARANTEE THAT ARTWORK WILL MATCH WHAT IS SHOWN ON SCREEN SINCE MONITORS PRESENT COLORS AS "RGB" AND EACH MONITOR IS CALIBRATED DIFFERENTLY.

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.